

Healthcare sheet



Bengals have optimal levels of happiness with their humans or another being so don't be afraid to get a dog or another animal.

Recommended diet 3 Food rotation



Please Isolate kittens a minimum of 3 days to assimilate to the family. Afterwards, give free range of your home. CAT TREE

Diuretic management



PREVENT VET BILLS
BUY ROYAL CANIN
URINARY SO WET/DRY FOOD
Sprinkle the dry urinary so into the food every other 3-5 days and this will prevent most problems relating to the health of your cat. If your adult cat is urinating blood urinary So will help

GIVE BONE! It will clean the feline's teeth and prevent PERIODONTITIS!

Allergies

If your kitten is allergic to the brands listed in the nutrition section, then you can try a generic dry food brand such as Kitten Kaboodle Or



Acana Wild Atlantic
Some owners have had success with kitten allergies

Use Apple Cider Vinegar in a spray bottle for deterrence of unwanted behaviors.

3 FOOD ROTATION

The 3 food rotation consists of 1. Wet Food ROYAL CANIN - KITTEN/FRISKIES PATE

2.DRY FOOD - VARIOUS

3. RAW - Poultry offal/ Bovine offal

Dry Food is to be left out at all times of the day. This is part of the 3 Food rotation

Recommended dry food Pyramid

1.



2.



3.



Ailing kittens



Supplements

It is necessary to supplement chicken if feeding solely raw meat without dry food and friskies Pate. I recommend Wildtrax supplement.



<https://www.wildtraxsupply.com>

Don't declaw

DECLAWING FACTS KNOW THE TRUTH

- DECLAWING = AMPUTATION OF CAT'S TOE AT FIRST JOINT. (LIKE CUTTING OFF A HUMAN'S FIRST TOE)
- 33% OF CATS SUFFER AT LEAST ONE BEHAVIORAL PROBLEM AFTER DECLAW SURGERY
- 18% SHOW INCREASED BITING
- 17% SUFFER WOUNDS RE-OPENING
- 15% WILL NOT USE THE LITTER BOX
- 11% SUFFER FROM LAMENESS
- 10% SEE NAIL REGROWTH
- UP TO 50% OF DECLAWED CATS DEVELOP ACUTE PHYSICAL COMPLICATIONS
- DECLAWING CAN CAUSE: CIBICHOIC PAIN, ARTHRITIS, NERVE DAMAGE, GANGRONE, ABSCESSES PAIN FUL, ITCHING AND SCALD BURNING
- 75-90% OF PET OWNERS CHANGE THEIR MIND ABOUT DECLAWING ONCE THEY KNOW THE RISKS
- UP TO 20% OF DECLAWED CATS DEVELOP LONGTERM PHYSICAL COMPLICATIONS
- "CLAWS ARE A PHYSICALLY, SOCIALLY AND EMOTIONALLY VITAL PART OF EVERY CAT."
- 2X MORE LIKELY TO DEVELOP LITTER BOX ISSUES
- 30% OF DECLAWED CATS EXPERIENCE PAINFUL BONE INFECTIONS
- "YOU WOULDN'T DECLAW A DOG... YOU'D TRIM THEIR NAILS..."
- ANIMEALS CAT BEHAVIORIST
- NO-KILL ADOPTION CENTER AND ANIMAL FOOD BANK

Vaccinations

- 1st round vacc. given 8 wks
- 2nd round vacc. given 12 wks
- Rabies vacc. given 16 wks
- Use Revolution & Capstar for flea treatment & prevention

Spay/Neuter

6-7 months
Always cut chicken into mouth sized pieces for kittens

30 minutes of playtime for bonding

Nutrition Timeline

Kitten diet

- 0-6 weeks mother's milk
- 6-9 weeks (WEANING) gruel/dry food/DICED chicken
- Baby food (Gerber)
- 9 weeks-life Dry food/wet/raw



Calcium Deficiencies

For Kittens that may have a limp or developing a limp. This may due to a nutritional deficiency. This can be corrected with isolation from frequented activities & food such as Porcine hearts/ Turkey necks/backs, or 15 GRAMS of Cottage/ Hard cheese

